

MAR 07 2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
)	
Kevin A. Seiling, et al.)	
)	
U.S. Patent Appln. No. 10/001,730)	COMPOSITION FOR MAKING
)	EXTRUDED SHAPES AND A
Filed: November 2, 2001)	METHOD FOR MAKING SUCH
)	COMPOSITION
Art Unit: 1732)	
)	
Appeal No.: 2007-0821)	
)	
Attorney Docket No.: 01-180)	

**BY FACSIMILE TO BPAI (3 pages total): 571-273-0299 &
BY FACSIMILE TO USPTO (3 pages total): 571-273-8300**

Board of Patent Appeals and Interferences
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450

March 7, 2007

**RESPONSE TO "NOTICE OF HEARING
CONFIRMATION REQUIRED WITHIN TWENTY-ONE DAYS"**

In response to the "Notice of Hearing Confirmation Required within Twenty-One Days" (copy enclosed) mailed February 27, 2007, Appellant and its counsel respectfully request that, due to scheduling conflicts, the Oral Hearing currently scheduled for Wednesday, April 4, 2007, at 1:00PM, in Hearing Room A, be rescheduled to one of the following alternate dates:


Monday, May 7, 2007
Tuesday, May 8, 2007
Wednesday, May 9, 2007
Thursday, May 10, 2007
Monday, May 21, 2007

U.S. Patent Application No. 10/001,730
Appeal No.: 2007-0821
Appellant: Kevin A. Seiling, et al.
"Response" Letter dated March 7, 2007

If further information is required for processing this request, Appellant's counsel,
Frederick L. Tolhurst, Esq., may be reached directly at 412-297-4960.

Respectfully submitted,

By:



Frederick L. Tolhurst
USPTO Reg. No. 28,123
Cohen & Grigsby, P.C.
11 Stanwix Street, 15th Floor
Pittsburgh, PA 15222
Telephone: 412-297-4900

#1165700-1

MAR. 7. 2007 1:20PM

COHEN & GRIGSBY

RECEIVED
CENTRAL FAX CENTER

NO. 094

P. 3

MAR 07 2007


Page 1



UNITED STATES PATENT AND TRADEMARK OFFICE

Board of Patent Appeals and Interferences

ENTERED
Col 2 of 2



COHEN & GRIGSBY, P.C.
11 STANWIX STREET
15TH FLOOR
PITTSBURGH, PA 15222

Appeal No: 2007-0821
Appellant: Kevin A. Seiling et al.
Application No: 10/001,730
Hearing Room: A
Hearing Docket: A
Hearing Date: Wednesday, April 4, 2007
Hearing Time: 1:00 PM
Location: Madison Building - East Wing
600 Dulany Street, 9th Floor
Alexandria, Virginia 22313-1450

RECEIVED
MAR 01 2007

BY: [Signature]

NOTICE OF HEARING
CONFIRMATION REQUIRED WITHIN TWENTY-ONE DAYS

Your attention is directed to 37 CFR § 41.47. The above identified appeal will be heard by the Board of Patent Appeals and Interferences on the date indicated. Hearings will commence at the time set and as soon as the argument in one appeal is concluded, the succeeding appeal will be taken up. The time allowed for argument is twenty minutes unless additional time is requested and permitted before the argument is commenced. If there are any inquiries, please contact the Clerk of the Board at 571-272-9797.

The application involved in this appeal has been published. Accordingly, the hearing in this appeal is open to the public.

CONFIRMATION OR WAIVER OF THE HEARING IS REQUIRED. This form must be completed below and facsimile transmitted to both: (1) the USPTO Central fax number (official copy), and (2) the Board of Patent Appeals and Interferences fax number (courtesy copy) within TWENTY-ONE (21) DAYS from the mailing date of this notice indicating confirmation or waiver of the hearing. A copy of this notice may be alternately filed by mail if facsimile is not available.

BPAI HEARINGS FAX No: (571) 273-0299

USPTO Central Fax No: (571) 273-8300

BPAI Mailing Address: Board of Patent Appeals and Interferences
United States Patent and Trademark Office
P.O. BOX 1450
Alexandria, Virginia 22313-1450

In all communications relating to this appeal, please identify the appeal by its number.

CHECK ONE: () HEARING ATTENDANCE CONFIRMED () HEARING ATTENDANCE WAIVED

Signature of Attorney/Agent/Appellant

Date

Registration No.

Names of other visitors expected to accompany counsel:

For information on visitor access to hearing rooms and security procedures at the USPTO Alexandria Campus, see
http://www.uspto.gov/web/offices/dcom/gcounsel/contact.htm#bpa_contacts

003 : 1 : 0000000000